30

Effects of Repetitive Head Impacts on Brain Perfusion and Clearance Pathways

Zheyuan Li[1,2], Leonard Jung[1,2,3], Alberto Asiares[1,2], Luisa Schuhmacher[1,2], Julie Joyce[1], Nico Sollmann[1,4,5,6,7], Inga Koerte[1,2,8,9]
[1] cBRAIN, Department of Child and Adolescent Psychiatry, Psychosomatics, and Psychotherapy, Ludwigs-Maximilians-Universität, Munich, Germany, [2] NICUM (NeuroImaging Core Unit Munich), Munich, Germany, [3] Department of Neurosurgery, University Hospital, Ludwig-Maximilians Universität, Munich Germany, [4] Department of Diagnostic and Interventional Neuroradiology, School of Medicine and Health, Klinikum rechts der Isar, Technical University of Munich, Munich, Germany, [5] TUM-Neuroimaging Center, Klinikum rechts der Isar, Technical University of Munich, Munich, Germany, [6] Department of Diagnostic and Interventional Radiology, University Hospital Ulm, Ulm, Germany, [7] Department of Nuclear Medicine, University Hospital Ulm, Ulm, Germany, [8] Psychiatry Neuroimaging Laboratory, Mass General Brigham Academic Medical Centers, Psychiatry Department, Boston, MA, USA, [9] German Center for Child and Adolescent Health (DZKJ), Partner site Munich, Munich, Germany

The author has chosen not to publish their abstract