| Poster number | Last name          | First name            | Ref Code                   | Title  |
|---------------|--------------------|-----------------------|----------------------------|--|
| 6             | Samuelsson         | Isak                  | 9305-A-2515                | $Association\ between\ systemic\ lupus\ erythematosus\ and\ myocardial\ infarction\ subtypes-a\ matched\ cohort\ study\ in\ Sweden$  |
| 8             | Alharb             | Laila                 | 9441-A-2515                | The Epidemiology of Primary Antiphospholipid syndrome in Southern Sweden   |
| 9             | Gunnarsson         | Iva                   | 9393-A-2515                | Avacopan in a compassionate use program for severe Anti-Neutrophil Cytoplasmic Autoantibody—Associated Vasculitis - Experiences from rheumatology  |
| 12            | Sundbeck           | Boel                  | 9366-A-2515                | A distinct pattern of T-cell and B-cell subpopulations predicts response to CTLA-4 Ig treatment in early rheumatoid arthritis;   |
| 14            | Ekwall             | Anna-Karin            | 9440-A-2515                | Plasma levels of interferon-alpha are associated with the presence of radiographic airway abnormalities in early untreated rheumatoid arthritis;   |
| 18            | Fors               | Charlotta             | 9109-A-2515                | Predictors of developing Polymyalgia Rheumatica: a nested case-control study based on a population survey;   |
| 21            | Sylwander          | Charlotte             | 9406-A-2515                | Knowing the Pain, Embracing Pain, and Building Resilience: Patients' Experiences of a Multimodal Rehabilitation Program for Chronic Pain   |
| 23            | Landgren           | Ellen                 | 9409-A-2515                | Fostering a sense of security in early RA care through a very tight control clinic – A qualitative study   |
| 24            | Andersson          | Maria                 | 9330-A-2515                | How do empowerment and lifestyle influence fear-avoidance in patients with long-term RA?   |
| 26            | Brolin             | Sara                  | 9046-A-2515                | Patient reported outcome measures and the impact of disease activity, disease duration, and organ involvement in vasculitis and lupus  |
| 27            | Carstensen         | Stine                 | 9122-A-2515                | Harmonising consensus and reliability studies in musculoskeletal ultrasound  |
| 28            | Klingberg          | Eva                   | 9335-A-2515                | The culprits behind Methotrexate-proposed hepatotoxicity are modifiable risk factors   |
| 29            | Jensen             | Kasper Yde            | 9343-A-2515                | Adalimumab biosimilar-to-biosimilar switch in 1,233 Danish patients with inflammatory rheumatic diseases – Real-world evidence from the DANBIO reg   |
| 30            | Maglio             | Cristina              | 9348-A-2515                | Appraising the causal role of body mass index in rheumatic joint disorders: A systematic review and meta-analysis of Mendelian randomization studies   |
| 31            | Nabi               | Hafsah                | 9353-A-2515                | One-year safety outcomes in 2,132 real-world Danish patients with inflammatory arthritis treated with biosimilar infliximab (GP1111)   |
| 32            | Nabi               | Hafsah                | 9434-A-2515                | The impact of patient history: effectiveness of infliximab biosimilar GP1111 in 1,910 real-world Danish patients with inflammatory arthritis   |
| 33            | Timsans            | Janis                 | 9388-A-2515                | Lower large joint replacement rate in hyperuricemic individuals: could uric acid be chondroprotective?   |
| 34            | Stjärne            | Johan                 | 9457-A-2515                | A SELF-MANAGEMENT APP IN A TREAT-TO-TARGET GOUT CARE APPROACH: THE REMONIT GOUT FEASIBILITY STUDY  |
| 35            | Källmark           | Hanna                 | 9101-A-2515                | Long-term antibody response to Herpes Zoster subunit vaccine in patients with rheumatoid arthritis receiving Janus kinase inhibitors   |
| 36            | Källmark           | Hanna                 | 9102-A-2515                | Cellular immunogenicity to Herpes Zoster subunit vaccine in patients with rheumatoid arthritis receiving Janus kinase inhibitors   |
| 37            | Lundgren           | Victoria              | 9311-A-2515                | Understanding MTX response in early arthritis, how insulin and IFN contribute to successful treatment  |
| 38            | Abild              | Signe Marie           | 9318-A-2515                | Building Bridges Project – Enhancing collaboration across healthcare sectors for inflammatory arthritis  |
| 39            | Waldenlind         | Kristin               | 9341-A-2515                | Do pain patterns in RA patients differ between bDMARD subgroups and their different modes of action?   |
| 40            | Primdahl           | Jette                 | 9395-A-2515                | Healthcare professionals' perceptions of work-related challenges and needs for support among people with inflammatory arthritis.   |
| 41            | Jäppinen           | Katriina              | 9416-A-2515                | Time to reassess our joint assessments?  |
| 42            | Demirdal           | Deniz                 | 9301-A-2515                | Correlation analysis of longitudinal anti-MDA5 autoantibody levels with disease activity in Caucasian patients with anti-MDA5 positive dermatomyositis                                       |
| 43            | Lodin              | Karin                 | 9376-A-2515                | Fatigue is associated with disease activity in patients with idiopathic inflammatory myopathies  |
| 43            | Peralta Garcia     | Irene                 | 9396-A-2515                | Diagnostic delay in idiopathic inflammatory myopathies: association with disease activity  |
| 45            |                    | Malin                 | 9408-A-2515                | IMPROVED ACTIVITY PERFORMANCE USING A POWER ENHANCING GLOVE IN PERSONS WITH INCLUSION BODY MYOSITIS (IBM)  |
| 46            | Regardt<br>Skattør | Marianne              | 9411-A-2515                | Exercise as treatment for patients with inclusion body myositis - study protocol and preliminary results   |
| 46<br>47      |                    | Kasper Yde            | 9423-A-2515                |  |
|               | Jensen             | •                     | 9387-A-2515                | Accelerated ageing in myositis Risk factors for cardiovascular events are increased in adults with Juvenile Idiopathic Arthritis - results from the south-Swedish Juvenile Idiopathic Arthri |
| 48<br>49      | Tydén<br>Rauer     | Helena<br>Ola         | 9405-A-2515                | Ophthalmological complications after 35 years of juvenile idiopathic arthritis - results from the south-Swedish Juvenile Idiopathic Arthritis cohort   |
| 50            | Heinicke           | Fatima                | 9462-A-2515                |  |
|               |                    |                       | 9364-A-2515                | Preliminary Results from Comprehensive Single-Cell Analysis Exploring the Cellular Landscape in JIA Joints and Peripheral Blood  |
| 51            | Myhre Hjelle       | Anja<br>Tore Kristian | 9354-A-2515<br>9354-A-2515 | Do HMG-CoA reductase inhibitors protect against osteoporotic distal radius fracture? Results from an observational study of 289 patients   |
| 52            | Kvien              |                       | 9362-A-2515<br>9362-A-2515 | NSAID use, gastrointestinal complications, and burden of disease in osteoarthritis: Nordic registry study with emphasis on patients below 60 years   |
| 53            | Wiking             | Emelie                | 9287-A-2515                | Early management of symptomatic knee osteoarthritis and support for healthy lifestyle habits: a scoping review   |
| 54            | Takahashi          | Hiroki                |                            | Prognosis and clinical characteristics of patients with IgG4-related disease who were followed up for over 20 years at a single institution  |
| 55            | Nagahata           | Ken                   | 9123-A-2515                | Delayed glucocorticoid initiation reduces ureteral stent removal rate in IgG4-related retroperitoneal fibrosis   |
| 56            | Fedotchenko        | Andrii                | 9390-A-2515                | The marginal transitional zone of the synovial joint: Histochemical approaches for the identification of its components  |
| 57            | Di Giuseppe        | Daniela               | 9401-A-2515                | Register-based data on diet and alcohol consumption: a new way to collect data on lifestyle factors in rheumatology  |
| 58            | Sagen              | Joachim               | 9413-A-2515                | Volunteer led high-intensity interval training in heated water   |
| 59            | Sagen              | Joachim               | 9424-A-2515                | EULAR recommendations for patient participation in rheumatology research   |
| 60            | Borg               | Alexander             | 9459-A-2515                | A qualitative comparison of clinical reasoning training: LLM-powered social robotic versus computer-based virtual patients for undergraduate medical e                                       |
| 61            | Olofsson           | Tor                   | 9322-A-2515                | Can algometry-assessed pain sensitivity measures distinguish fibromyalgia from non-fibromyalgia in axial spondyloarthritis patients? Results from the po                                     |
| 62            | Pettersson         | Susanne               | 9291-A-2515                | "I can just update myself" – Patients' reflections on their own access to electronic health records in psoriasis and psoriatic arthritis specialist care                                     |
| 63            | Ahmadzay           | Zohra Faizy           | 9293-A-2515                | Association between metabolic comorbidities and retention rates of first-line b/tsDMARD treatment in patients with psoriatic arthritis: European real-w                                      |
| 64            | Nielung            | Louise                | 9314-A-2515                | Exploring definitions and prevalence of difficult-to-treat psoriatic arthritis in 13,872 patients from five Nordic registries  |
| 65            | Wallman            | Johan K.              | 9329-A-2515                | Elevated risk for specialised psychiatric care due to depression or anxiety, but not for suicide, in a Scandinavian cohort of patients diagnosed with psoria                                 |
| 66            | Pettersson         | Susanne               | 9337-A-2515                | To capture patients' perception of psoriasis – a pilot study within the Swedish Rheumatology Quality Register  |

| 67  | Alenius           | Gerd-Marie          | 9345-A-2515 | Do HLA-B27 have any impact on disease severity in patients with psoriatic arthritis?   |
|-----|-------------------|---------------------|-------------|--|
| 68  | Schiller          | Claes               | 9453-A-2515 | Prevalence and Associated Factors of Depression and Anxiety in Patients with Psoriatic Disease in Northern Sweden  |
| 69  | Dehlin            | Mats                | 8990-A-2515 | Local steroid injection in finger joints in RA, who benefits? Results on effect and predictors thereof from an observational questionnaire study                 |
| 70  | Steiger           | Simon               | 9300-A-2515 | Can alternative means of phenotyping RA reduce apparent heterogeneity? A study of three RA disease activity classification and how they compare to DA            |
| 71  | Brink             | Mikael              | 9309-A-2515 | Validation of a Genetic Risk Score Combined with Clinical Variables for Predicting Pulmonary Fibrosis in Rheumatoid Arthritis                                    |
| 72  | Primdahl          | Jette               | 9313-A-2515 | Ultrasound-identified tenosynovitis as predictor of patient-reported flares in rheumatoid arthritis patients with low disease activity: Findings from an obs     |
| 73  | Abild             | Signe Marie         | 9317-A-2515 | On the edge of dependency: The experience of frailty in older adults living with rheumatoid arthritis - a qualitative interview study                            |
| 74  | Saevarsdottir     | Saedis              | 9327-A-2515 | In early rheumatoid arthritis, comorbidities do not explain the increased risk of failure to reach remission in patients with obesity                            |
| 75  | Johansson         | Linda               | 9328-A-2515 | ACPA Fine-Specificities are associated with the development of Extra-Articular Manifestations in Rheumatoid Arthritis  |
| 76  | Raffray           | Maxime              | 9333-A-2515 | Uncovering the heterogeneity of care trajectories leading to a RA diagnosis: a Swedish ten-year study  |
| 77  | Raffray           | Maxime              | 9334-A-2515 | The journey of patients from primary care practices to a diagnosis of rheumatoid arthritis in rheumatology   |
| 78  | Raffray           | Maxime              | 9339-A-2515 | How well does Rheumatoid Arthritis serostatus assigned in routine clinical practice match actual RA serology   |
| 79  | Huss              | Viking              | 9357-A-2515 | Rheumatoid arthritis, non-TNFi bDMARDs and JAKi - risks of keratinocyte cancer   |
| 80  | Karlsson          | Marie-Louise        | 9358-A-2515 | Patterns and changes in lifestyle habits of patients with rheumatoid arthritis during the first three years post-diagnosis                                       |
| 81  | Friberger Pajalic | Katarina            | 9367-A-2515 | The advantage of a "tight control" and "treat-to-target" strategy in new-onset rheumatoid arthritis patients in daily rheumatology practice                      |
| 82  | Sofíudóttir       | Bjørk               | 9368-A-2515 | Agreement and reliability of using thoracic ultrasound for detecting interstitial lung disease in rheumatoid arthritis: Secondary analyses based on the AUI      |
| 83  | Roine             | Maiju               | 9374-A-2515 | Genetics of inflammatory marker trajectories in rheumatoid arthritis   |
| 84  | Bengtsson         | Caroline            | 9385-A-2515 | Anurse-led "tight control" and "treat-to-target" strategy in early rheumatoid arthritis is associated with more pronounced improvement in patient-repor          |
| 85  | Di Giuseppe       | Daniela             | 9402-A-2515 | Choice and Effectiveness of Second DMARDs After MTX: Comparing Biological, Targeted, and Conventional Options in European RA Cohorts                             |
| 86  | Di Giuseppe       | Daniela             | 9403-A-2515 | Treatment Patterns and Determinants of DMARD Switching in European Rheumatoid Arthritis Cohorts: A Multi-National Analysis                                       |
| 87  | Bokarewa          | Maria               | 9422-A-2515 | CD5L has protective anti-inflammatory properties changing monocyte population in rheumatoid arthritis  |
| 88  | Alsing            | Peter               | 9425-A-2515 | The association between socioeconomic status and delayed first contact with a general practitioner in rheumatoid arthritis: The impact of disease activi         |
| 89  | Lie               | Benedicte Alexandra |             | Extracellular vesicle profiles is altered in RA patients and MTX changes the EV protein cargo only in patients experiencing treatment response - Results fi      |
| 90  | Akkoc             | Ahmet               | 9428-A-2515 | Sustainable research in personalized medicine – How to empower a Scandinavian collaboration in rheumatology to onboard new collaborators by accon                |
| 91  | Mangseth          | Henrik              | 9430-A-2515 | Defining abnormal lung function in patients with rheumatoid arthritis  |
| 92  | Akkoc             | Ahmet               | 9433-A-2515 | Six-Month Outcomes of Methotrexate treatment in Rheumatoid Arthritis: Robust Prediction from Sequence-to-Sequence Models in DANBIO                               |
| 93  | Hokkanen          | Anna-Mari           | 9436-A-2515 | Impact of biological disease modifying anti-rheumatic drug initiation on healthcare utilization and work disability in Rheumatoid Arthritis: An observatior      |
| 94  | Stojanovic        | Aleksandra          | 9442-A-2515 | Persistent effect of antirheumatic therapy on hemostatic parameters one year after treatment initiation in patients with early rheumatoid arthritis NORI         |
| 95  | Wasén             | Caroline            | 9443-A-2515 | Reduced hand strength in rheumatoid arthritis is associated with volume reduction in brain regions with motor function   |
| 96  | Fryxelius         | Anna                | 9446-A-2515 | Advancing Rheumatoid Arthritis Research: Key Priorities Identified through the James Lind Alliance Process   |
| 97  | Turesson          | Carl                | 9447-A-2515 | Significant decline in anti-collagen type II levels over the first year in early RA is associated with lower disease activity after five years                   |
| 98  | Melokhina         | Valeriia            | 9452-A-2515 | Achievement of remission by different criteria within six months in patients with early RA: ultrasound inflammation and radiographic progression                 |
| 99  | Chandrasekaran    | Venkataragavan      | 9461-A-2515 | Insulin controls the joint-specific T cell phenotype in rheumatoid arthritis: the impact of anti-rheumatic treatment   |
| 100 | Heinicke          | Fatima              | 9464-A-2515 | Zooming in on CD19+ B Cells in DMARD-naïve RA Patients Using Single-Cell Sequencing  |
| 101 | Jakobsson         | Per-Johan           | 9468-A-2515 | Janus kinase inhibitors enhance prostanoid biosynthesis in human whole blood in vitro: implications for cardiovascular side-effects and prevention strate        |
| 102 | Terslev           | Lene                | 9347-A-2515 | Diagnostic value of high-frequency lacrimal gland ultrasound for primary Sjögren's Disease   |
| 103 | Björk             | Albin               | 9359-A-2515 | What causes Sjögren's disease? – insights into patients' thoughts  |
| 104 | Sari              | Fulden              | 9325-A-2515 | What Limits Exercise Capacity? Determinants of Functional Exercise Capacity in Axial Spondyloarthritis   |
| 105 | Torell            | Anna                | 9332-A-2515 | Adherence to a self-managed digitally based intervention with high-intensity interval training for individuals with axial spondyloar thritis                     |
| 106 | Deminger          | Anna                | 9375-A-2515 | Predictors of spinal radiographic progression over up to 13 years in patients with radiographic axial spondyloarthritis  |
| 107 | Hulander          | Erik                | 9389-A-2515 | Coronary artery calcification in patients with r-axSpA: a comparative study with matched controls in southwestern Sweden   |
| 108 | Sagard            | Jonas               | 9391-A-2515 | Do axial spondyloarthritis patients with peripheral involvement have more severe disease? Insights from the SPARTAKUS cohort                                     |
| 109 | Lobiuc            | Andrei              | 9420-A-2515 | Preliminary Findings from a Cross-Sectional Study on Gut Microbiota Alterations in Ankylosing Spondylitis  |
| 110 | Torell            | Anna                | 9435-A-2515 | Physiological and self-reported effects of a digitally based high-intensity interval training intervention among individuals with axial spondyloarthritis – a re |
| 111 | Walhelm           | Tomas               | 9074-A-2515 | Comorbid psoriasis in Systemic Lupus Erythematosus: A cohort study from a tertiary referral center and the National Patient Register in Sweden                   |
| 112 | Faustini          | Francesca           | 9121-A-2515 | Temporal trends and determinants of infection in Lupus nephritis patients with chronic kidney disease  |
| 113 | Sjöwall           | Christopher         | 9312-A-2515 | Increased pentraxin-3 levels in plasma are associated with adverse pregnancy outcomes in patients with systemic lupus erythematosus                              |
| 114 | Sjöwall           | Christopher         | 9363-A-2515 | Interferon alpha dependent uPAR expression on monocytes is a candidate source of increased soluble uPAR in patients with SLE at high risk of developing          |
| 115 | Skoglund          | Elisabeth           | 9373-A-2515 | The genetic and epigenetic profile in patients with Systemic Lupus Erythematosus is linked to renal disease and possible to risk for relapse of nephritis        |
| 116 | Faustini          | Francesca           | 9377-A-2515 | Loss of CD72 immune checkpoint molecules on double negative 2 B cells in systemic lupus erythematosus patients: Association with disease activity and            |
| 117 | Björklund         | Niklas              | 9381-A-2515 | Clusters based on disease activity not a predictor for endothelial dysfunction in Systemic Lupus Erythematosus   |

| 118 | Stockfelt  | Marit         | 9394-A-2515 | Maternal vascular malperfusion of the placenta but not chorioamnionitis is associated with small for gestational age infants in systemic lupus erythemat                          |
|-----|------------|---------------|-------------|---|
| 119 | Winberg    | Line          | 9404-A-2515 | Distinct nailfold capillary changes associate with clinical and serological features in patients with systemic lupus erythematosus  |
| 120 | Jägerback  | Sandra        | 9410-A-2515 | Serum levels of soluble urokinase plasminogen activator receptor (suPAR) are associated with lupus nephritis activity and chronicity features in diagnos                          |
| 121 | Parodis    | Ioannis       | 9412-A-2515 | Novel IgG and IgA autoantibodies against DNA- and RNA-binding proteins distinguish systemic lupus erythematosus from health and non-lupus autoimmu                                |
| 122 | Lindblom   | Julius        | 9418-A-2515 | Novel IgG and IgA autoantibodies define disease activity and organ manifestations in systemic lupus erythematosus   |
| 123 | Tomonjic   | Nina          | 9427-A-2515 | Altered hemostatic parameters in patients with systemic lupus erythematosus and kidney involvement  |
| 124 | Grenmyr    | Elsa          | 9432-A-2515 | Autoantibodies against Interferon Alpha in Patients with Systemic Lupus Erythematosus   |
| 125 | Karlsson   | Linnea        | 9437-A-2515 | Extraglomerular vascular changes at first renal flare in systemic lupus erythematosus – stronger predictor of long-term renal outcome compared to histor                          |
| 126 | Linge      | Petrus        | 9439-A-2515 | Anti-Glycoprotein V antibodies in Patients with Systemic Lupus Erythematosus correlates with SLEDAI-2K, reduced complement levels and increased ris                               |
| 127 | Giannakou  | Ioanna        | 9445-A-2515 | Increased serum neurofilament light chain levels in systemic lupus erythematosus are associated with circulating Interferon-α, disease activity and pati                          |
| 128 | Oparina    | Nina          | 9451-A-2515 | Integration of independent scRNA-seq datasets kidney biopsies for inflammatory kidney diseases and healthy controls allows to detect cell-cell commun                             |
| 129 | Mcnicholas | Andrea        | 9454-A-2515 | Prevalence of postpartum hemorrhage in women with systemic lupus erythematosus in relation to antithrombotic treatment – a prospective cohort study                               |
| 130 | Oparina    | Nina          | 9456-A-2515 | Bisphenol A Methylation Scores Associate with SLE and Clinical Subphenotypes  |
| 131 | Överdahl   | Cecilia       | 9379-A-2515 | Serum metabolomics profiling in systemic sclerosis  |
| 132 | Eloranta   | Maija-Leena   | 9431-A-2515 | RNA-containing immune complexes induce type I interferons in blood leukocytes from patients with systemic sclerosis   |
| 133 | Lillpers   | Kerstin       | 9455-A-2515 | Evaluation of common and novel risk factors for low bone mineral density in systemic sclerosis, a case control study of 211 patients  |
| 134 | Gunnarsson | Karin         | 9460-A-2515 | Hematological malignancies in systemic sclerosis – a nationwide population-based register study   |
| 135 | Turesson   | Carl          | 9331-A-2515 | Quantified Intakes of Key Diet Components and the Risk of Developing Giant Cell Arteritis; a Nested Case-Control Study  |
| 136 | Skaug      | Hans Kristian | 9400-A-2515 | Health-related quality of life in patients with Giant Cell Arteritis: A study based on the Norwegian Vasculitis Registry  |
| 137 | Sturluson  | Ólafur Orri   | 9365-A-2515 | Clinical characteristics of patients with rare head-and-neck organ involvement in ANCA-associated vasculitides  |
| 138 | Juto       | Anna          | 9392-A-2515 | Complement split products on Myeloperoxidase (MPO) positive extracellular vesicles (EVs) in Anti-Neutrophil Cytoplasmic Antibody (ANCA) -associated                               |
| 139 | Dahlqvist  | Johanna       | 9399-A-2515 | Plasma proteome profiling unravels divergent pathogenic processes associated with PR3-ANCA positive and MPO-ANCA positive vasculitis  |
| 140 | Brolin     | Sara          | 9407-A-2515 | Mood and health-related quality of life over six months treatment with Avacopan.  |
| 141 | Granath    | Annika        | 9415-A-2515 | Disease impact on health-related quality of life, anxiety, and depression, in antineutrophil cytoplasmic antibody-associated vasculitis: A cluster analysis                       |
| 142 | Damgaard   | Astrid Jensen | 9380-A-2515 | Non-pharmacological interventions in adults with mixed connective tissue disease: a systematic literature review  |
| 143 | Damgaard   | Astrid Jensen | 9384-A-2515 | Training for Health Professionals in Rheumatology to deliver a COMbined Fatigue Intervention (COMFI)  |
| 144 | Damgaard   | Astrid Jensen | 9382-A-2515 | The Development of a COMbined Fatigue Intervention (COMFI) for People with Inflammatory Arthritis   |
| 145 | Damgaard   | Astrid Jensen | 9386-A-2515 | Validity and Reliability of the Swedish Versions of the Bristol Rheumatoid Arthritis Fatigue Questionnaires (BRAFs) in Patients with Spondyloarthritis                            |
| 146 | Bogason    | Alex          | 9326-A-2515 | Characterization of patients with rheumatoid arthritis based on distinct patterns of pain improvement following treatment with filgotinib: A post hoc ana                         |
| 147 | Medical    | Costello      | 9352-A-2515 | $Bimekizum ab\ demonstrated\ long-term\ safety\ and\ efficacy\ in\ patients\ with\ psoriatic\ arthritis\ and\ prior\ in\ adequate\ response\ to\ TNF is:\ Final\ 3-year\ results$ |
| 148 | Medical    | Costello      | 9355-A-2515 | $Low\ uveit is\ rates\ in\ patients\ with\ axial\ spondy loar thritis\ or\ psoriatic\ arthritis\ treated\ with\ bimekizumab:\ Long-term\ results\ from\ phase\ 2b/3\ trials$      |
| 149 | Ingman     | Pontus        | 9586-A-2515 | Impact of Glucocorticoid Tapering in Giant Cell Arteritis: Analysis From the SELECT-GCA Trial   |
|     |            |               |             |   |